L Number	Hits	Search Text	DB	Time stamp
-	33	(memory near3 map$3) with (power near2 (manag$5 or conserv$5 or mode or modes))	USPAT	2003/12/10 15:55
-	2	((chang$3 or alte$4 or adjust$3 or switch$3) near2 (memory adj2 map$3)) near5 power	USPAT	2003/03/13 11:07
-	1	(Super adj2 State) adj2 (code or microcode)	USPAT	2003/03/13 11:28
-	22	("4203153" | "4420806" | "4590553" | "4709324" | "4757505" | "4768149" | "4860005" | "4930065" | "4930068" | "4964121" | "5109521" | "5129091" | "5167024" | "5201059" | "5247164" | "5274791" | "5349688" | "5392457" | "5404546" | "5406064" | "5410714" | "5515539").PN.	USPAT	2003/03/13 11:08
-	0	6125412.URPN.	USPAT	2003/03/13 11:08
-	81	(Chips near2 Technolog$4).as.	USPAT	2003/03/13 15:12
-	374	Super adj2 State	USPAT	2003/03/13 11:28
-	1	((Chips near2 Technolog$4).as.) and (Super adj2 State)	USPAT	2003/03/13 11:28
-	13	(peripheral near6 (memory near2 map$3)) same power	USPAT	2003/12/10 17:07
-	0	(peripheral near6 (memory near2 (remap$3 or re-map$3))) same power	USPAT	2003/03/13 11:58
-	4	("4030073" | "4591982" | "4736290" | "4926322").PN.	USPAT	2003/03/13 12:02
-	8	5274791.URPN.	USPAT	2003/03/13 12:02
-	0	(redirect$3 near3 peripheral) with (power near3 (sav$3 or conserv$ or manag$4))	USPAT	2003/03/13 15:19
-	0	(remap$3 near3 peripheral) with (power near3 (sav$3 or conserv$ or manag$4))	USPAT	2003/03/13 15:15
-	29	((disabl$3 or off or shutdown) near3 peripheral) with (power near3 (sav$3 or conserv$ or manag$4))	USPAT	2003/03/20 14:55
-	12	((access3 or communicat$3) near3 peripheral) with (power near3 (sav$3 or conserv$ or manag$4))	USPAT	2003/03/13 15:26
-	38	5339437.URPN.	USPAT	2003/03/13 15:48
-	418	((queu$3 or buffer$3) near2 (information or data)) near5 power	USPAT	2003/03/20 14:56
-	36	(((queu$3 or buffer$3) near2 (information or data)) near5 power) with periphera$2	USPAT	2003/03/13 15:50
-	35	((queu$3 or buffer$3) near2 (information or data)) near5 (power near2 (sav$3 or manag$5 or reduc$3))	USPAT	2003/03/13 15:52
-	10	("4647721" | "4675537" | "4747041" | "4794525" | "5214785" | "5321428" | "5347167" | "5359540" | "5477476").PN.	USPAT	2003/03/13 15:58
-	6	5594672.URPN.	USPAT	2003/03/13 15:56
-	32	(((queu$3 or buffer$3) near2 (information or data)) near5 (power near2 (sav$3 or manag$5 or reduc$3))) not ((((queu$3 or buffer$3) near2 (information or data)) near5 power) with periphera$2)	USPAT	2003/03/13 15:56
-	38	5339437.urpn.	USPAT	2003/03/17 13:56
-	3	((buffer near4 (data or information)) near5 peripheral) with (sleep or suspend or (power adj2 down))	USPAT	2003/03/17 14:08
-	2	intercept$3 near5 peripheral near5 power	USPAT	2003/03/17 14:18
-	837	intercept$4 with (peripheral or peripherals)	USPAT	2003/03/17 14:33

C:\APPS\EAST\Workspaces\09591926.wsp

-	14	(intercept$4 with (peripheral or peripherals)) with power	USPAT	2003/03/17 14:20
-	64	intercept$4 with (peripheral or peripherals) with (information or data or writes)	USPAT	2003/03/17 14:59
-	3426	(buffer$3 or stor$3 or sav$3) near4 (information or data) near4 (peripheral or peripherals)	USPAT	2003/03/20 15:26
-	66	((buffer$3 or stor$3 or sav$3) near4 (information or data) near4 (peripheral or peripherals)) with power	USPAT	2003/03/17 14:54
-	12	((buffer$3 or stor$3 or sav$3) near4 (information or data) near4 (peripheral or peripherals)) with (suspend$3 or sleep$3 or hibernat$3 or (power adj2 down))	USPAT	2003/03/17 14:52
-	61	(((buffer$3 or stor$3 or sav$3) near4 (information or data) near4 (peripheral or peripherals)) with power) not (((buffer$3 or stor$3 or sav$3) near4 (information or data) near4 (peripheral or peripherals)) with (suspend$3 or sleep$3 or hibernat$3 or (power adj2 down)))	USPAT	2003/03/17 14:54
-	0	(queu$3 with (peripheral or peripherals) with (information or data or writes)) with power	USPAT	2003/03/17 15:01
-	1	(queu$3 with (peripheral or peripherals) with (information or data or writes)) same power	USPAT	2003/03/17 15:02
-	180	queu$3 with (peripheral or peripherals) with (information or data or writes)	USPAT	2003/03/17 15:02
-	85	(queu$3 with (peripheral or peripherals)) and power	USPAT	2003/03/20 14:55
-	0	rerout near3 peripheral	USPAT	2003/03/17 15:36
-	122	printer adj2 queue	USPAT	2003/03/17 15:36
-	1	(updat$3 near4 context) with (power)	USPAT	2003/03/17 15:36
-	22	("5075875" | "5084875" | "5164842" | "5214772" | "5220566" | "5220674" | "5226112" | "5247623" | "5268993" | "5271065" | "5297246" | "5303336" | "5323393" | "5333286" | "5353388" | "5361265" | "5371837" | "5438528" | "5559933" | "5580177" | "5699494" | "6052204").PN.	USPAT	2003/03/17 16:31
-	154	(power adj2 (sav$3 or conserv$5 or reduc$3)) with printer	USPAT	2003/03/17 16:32
-	67	(power adj2 (sav$3 or conserv$5 or reduc$3)) near3 printer	USPAT	2003/03/17 16:34
-	0	framebuffer near5 (rerout$3 or redirect$3)	USPAT	2003/03/18 11:06
-	0	framebuffer near5 (power near3 (conserv$5 or reduc$4 or sav$3))	USPAT	2003/03/18 11:17
-	15	(frame adj2 buffer) with (power near3 (conserv$5 or reduc$4 or sav$3))	USPAT	2003/03/18 11:20
-	114	virtual near5 (frame adj2 buffer)	USPAT	2003/03/18 13:30
-	8547	frame adj2 buffer	USPAT	2003/03/18 13:31
-	98	(frame adj2 buffer) with ((power$3 adj2 (off or down)) or disabl$3)	USPAT	2003/03/18 13:37
-	7	(frame adj2 buffer) with ((power$3 adj2 (off or down)))	USPAT	2003/03/18 13:37
-	4	("5167024" | "5321806" | "5402148" | "5408639").PN.	USPAT	2003/03/18 14:01
-	4	5619707.URPN.	USPAT	2003/03/18 14:01

-	1	5963219.URPN.	USPAT	2003/03/18 14:16
-	1	5963219.URPN.	USPAT	2003/03/18 14:16
-	14	("5136695" | "5167024" | "5218607" | "5369771" | "5392438" | "5442800" | "5465367" | "5524249" | "5537650" | "5560024" | "5572655" | "5615376" | "5619707" | "5625826").PN.	USPAT	2003/03/18 14:17
-	3036	alternate adj2 (location or memory or storage)	USPAT	2003/03/18 15:31
-	18	(alternate adj2 (location or memory or storage)) near5 power	USPAT	2003/03/18 15:55
-	872	(send$3 or transfer$3 or direct$3) near4 only near4 available	USPAT	2003/03/18 16:00
-	69609	tempor$5 near3 (stor$3 or sav$3 or buffer$3)	USPAT	2003/03/18 16:06
-	0	(((send$3 or transfer$3 or direct$3) near4 only near4 available) with power) with ("not" adj2 (on or available))	USPAT	2003/03/18 15:59
-	19	((send$3 or transfer$3 or direct$3) near4 only near4 available) with power	USPAT	2003/03/18 15:59
-	404	(send$3 or transfer$3) near4 only near4 available	USPAT	2003/03/18 16:04
-	0	(send$3 or transfer$3) near4 only near3 "when" near3 available	USPAT	2003/03/18 16:03
-	0	(send$3 or transfer$3) with (only adj3 "when" adj3 available)	USPAT	2003/03/18 16:04
-	5	((send$3 or transfer$3) near4 only near4 available) with peripheral$1	USPAT	2003/03/18 16:04
-	708	(tempor$5 near3 (stor$3 or sav$3 or buffer$3)) with peripheral$1	USPAT	2003/03/18 16:05
-	325	(tempor$5 near3 (stor$3 or sav$3 or buffer$3)) with ((instructions or data or information) near6 peripheral$1)	USPAT	2003/03/20 15:01
-	2	((tempor$5 near3 (stor$3 or sav$3 or buffer$3)) with ((instructions or data or information) near6 peripheral$1)) and 713/320-324.ccls.	USPAT	2003/03/18 16:08
-	7	((tempor$5 near3 (stor$3 or sav$3 or buffer$3)) with ((instructions or data or information) near6 peripheral$1)) with power	USPAT	2003/03/18 16:09
-	185	(tempor$5 near3 (stor$3 or sav$3 or buffer$3)) and 713/320-324.ccls.	USPAT	2003/03/18 16:14
-	5	((tempor$5 near3 (stor$3 or sav$3 or buffer$3)) with peripheral$1) and 713/320-324.ccls.	USPAT	2003/03/18 16:19
-	4901	re-direct$3 or re-rout$3	USPAT	2003/03/18 16:19
-	692	(re-direct$3 or re-rout$3) with (data or information or instructions)	USPAT	2003/03/18 16:20
-	0	(re-direct$3 or re-rout$3) with ("not" adj2 (available or on))	USPAT	2003/03/18 16:21
-	3	((re-direct$3 or re-rout$3) with (data or information or instructions)) with peripheral$1	USPAT	2003/03/18 16:21
-	146	(re-direct$3 or re-rout$3) with ((available or on))	USPAT	2003/03/18 16:34
-	1	((re-direct$3 or re-rout$3) with ((available or on))) and 713/$.ccls.	USPAT	2003/03/18 16:22
-	1	4716543.pn.	USPAT	2003/03/18 17:00
-	55	chan.xp. and digital.as.	USPAT	2003/03/18 17:12
-	6042	map$3 near5 (alternate or different or auxilliary)	USPAT	2003/03/20 14:59
-	33	(map$3 near5 (alternate or different or auxilliary)) with (unavailable or off or disabled)	USPAT	2003/03/18 17:16
-	111	(map$3 near5 (alternate or different or auxilliary)) and 713/$.ccls.	USPAT	2003/03/18 17:20

C:\APPS\EAST\Workspaces\09591926.wsp

-	3	(map$3 near5 (alternate or different or auxilliary)) and 713/320-324.ccls.	USPAT	2003/03/18 17:20
-	3	(power adj2 manag$3) with ((network adj2 (card or controller)) or NIC)	USPAT	2003/03/19 14:30
-	2	(memory near3 map$3) with (power near2 (manag$5 or conserv$5 or mode or modes))	EPO; JPO	2003/03/20 14:54
-	1	((disabl$3 or off or shutdown) near3 peripheral) with (power near3 (sav$3 or conserv$ or manag$4))	EPO; JPO	2003/03/20 14:55
-	0	(queu$3 with (peripheral or peripherals) with (information or data or writes)) and power	EPO; JPO	2003/03/20 14:55
-	86	((queu$3 or buffer$3) near2 (information or data)) near5 power	EPO; JPO	2003/03/20 14:56
-	461	map$3 near5 (alternate or different or auxilliary)	EPO; JPO	2003/03/20 14:59
-	42	(tempor$5 near3 (stor$3 or sav$3 or buffer$3)) with ((instructions or data or information) near6 peripheral$1)	EPO; JPO	2003/03/20 15:02
-	24	(buffer$3 or stor$3 or sav$3) near4 (information or data) near4 (peripheral or peripherals)	IBM_TDB	2003/03/20 15:26
-	105	alternate adj2 (memory near2 (location$1 or address$1 or space$1))	USPAT	2003/12/01 16:45
-	65	(alternate adj2 (memory near2 (location$1 or address$1 or space$1))) and g06f$.ipc.	USPAT	2003/12/01 16:48
-	14	(alternate adj2 (memory near2 (location$1 or address$1 or space$1))) and (power near3 (sav$3 or reduc$5 or conserv$5))	USPAT	2003/12/01 17:04
-	6	(alternate adj2 (memory near2 (location$1 or address$1 or space$1))) same power	USPAT	2003/12/01 17:04
-	6411	video adj1 (ram or memory)	USPAT	2003/12/10 15:56
-	256	(video adj1 (ram or memory)) near3 map$3	USPAT	2003/12/10 15:57
-	0	((video adj1 (ram or memory)) near3 map$3) and 713/3$.ccls.	USPAT	2003/12/10 15:57
-	163	(video adj1 (ram or memory)) and 713/3$.ccls.	USPAT	2003/12/10 16:17
-	654	(framebuffer or (frame adj1 buffer)) with updat$3	USPAT	2003/12/10 16:26
-	2	((framebuffer or (frame adj1 buffer)) with updat$3) and 713/32$.ccls.	USPAT	2003/12/10 16:30
-	205	((framebuffer or (frame adj1 buffer)) with updat$3) with (RAM or memory)	USPAT	2003/12/10 16:30
-	10	(framebuffer or (frame adj1 buffer)) with (rerout$3 or redirect$3)	USPAT	2003/12/10 16:26
-	1	(((framebuffer or (frame adj1 buffer)) with updat$3) with (RAM or memory)) and 713/32$.ccls.	USPAT	2003/12/10 16:49
-	15	("5675808" | "5752045" | "5781496" | "5781768" | "5804749" | "5835435" | "5907330" | "6067083" | "6073223" | "6079025" | "6112310" | "6177946" | "6209075" | "6263448" | "6292201").PN.	USPAT	2003/12/10 16:31
-	22	(temporar$5 near2 (sav$3 or stor$3)) with (power$3 adj1 off)	USPAT	2003/12/10 17:09
-	173	(sav$3 or stor$3) with ((while or during) near3 (power$3 adj1 off))	USPAT	2003/12/10 17:02
-	0	(redirect$3 or rerout$3) with ((while or during) near3 (power$3 adj1 off))	USPAT	2003/12/10 16:58
-	40	((sav$3 or stor$3) with ((while or during) near3 (power$3 adj1 off))) and g06f$.ipc.	USPAT	2003/12/10 16:58
-	1	((sav$3 or stor$3) with ((while or during) near3 (power$3 adj1 off))) with intend$3	USPAT	2003/12/10 17:02
-	374	(peripheral near6 (memory near2 map$3))	USPAT	2003/12/10 17:07
-	0	((peripheral near6 (memory near2 map$3))) same (power$3 adj1 (down or off))	USPAT	2003/12/10 17:08

C:\APPS\EAST\Workspaces\09591926.wsp

-	0	(alternate adj2 location) with (power adj2 (off or down))	USPAT	2003/12/10 17:08
-	7567	(temporar$5 near2 (sav$3 or stor$3 or hold$3)) with (during or while or when)	USPAT	2003/12/10 17:15
-	28	((temporar$5 near2 (sav$3 or stor$3 or hold$3)) with (during or while or when)) and 713/3$.ccls.	USPAT	2003/12/10 17:11
-	0	(temporar$5 near2 (sav$3 or stor$3 or hold$3)) with ("not available")	USPAT	2003/12/10 17:15
-	49	(temporar$5 near2 (sav$3 or stor$3 or hold$3)) with (unavailable or "not available")	USPAT	2003/12/11 10:24
-	41	(temporar$5 near2 (sav$3 or stor$3 or hold$3)) with (power near2 (state$1 or mode$1))	USPAT	2003/12/11 13:32